COUNTER ONE MINI





COUNTER ONE MINI

The COUNTER ONE MINI brings the look and function of the COUNTER ONE to the stand in a compact format – wherever there is no room for a full-width counter. Optionally, it runs on battery power, independent of the mains. Whether at trade shows, events or in retail: logo and message light up, even in a small space.

KEY FEATURES

01
TOOL-FREE ASSEMBLY
Push-fit, not screwed – thanks to the LEDUP connection system. Graphic changes via rubber lip.

02
SYSTEM FORMAT
At 50 cm, half the width of the COUNTER ONE – with the same construction and LED-backlit front.

03
HPL COUNTER TOP
The black HPL top is scratch-resistant, robust and easy to clean.

04
EASY TRANSPORT
Supplied in a wheeled ABS transport case with foam inlay – safely stowed, easy to move.

05
WITH OR WITHOUT DOOR
The storage compartment at the back is either open or closed by a door with fingerprint lock.

06
ENDLESSLY EXPANDABLE
Standalone or combined with COUNTER ONE Extension and COUNTER ONE corner.








RoHS CE




TECHNICAL DATA

COUNTER ONE MINI

LUP-c-one-mini
LUP-c-one-mini-door





PRODUCT DIMENSIONS
W x H x D
50 x 101,7 x 48,5 cm

FRAME DIMENSIONS
W x H
50 x 100 cm | 2x 32 x 100 cm

MATERIAL | COLOUR
aluminium | silver anodised

COUNTER TOP | COLOUR
HPL | black

PACKING DIMENSIONS | WEIGHT
W x H x D
44 x 118 x 22 cm | 25 kg

SCOPE OF DELIVERY
1x ABS transport case

POWER CONSUMPTION
15 W

RATED VOLTAGE
100–240 V

COLOUR TEMPERATURE
6500 K

CERTIFICATES
CE, RoHS